AMENDMENTS TO THE CLAIMS:

This listing of the claims will replace all prior versions, and listings, of the claims in this application.

Listing of Claims:

1. (Currently Amended) A method in a device having a plurality of character-entry pressure points for selecting a function in a markup language file comprising ~~the steps of~~:

a) reading the markup language file;

b) detecting a reference to a character encoding having a corresponding function;

c) illuminating at least one character-entry pressure point having a character encoding;

d) detecting ~~a~~ an entry by the character-entry pressure point; and

e) triggering the function.

2. (Currently Amended) The method of claim 1 wherein ~~the step of~~ illuminating the at least one character-entry pressure point comprises ~~a step of~~ illuminating less than the plurality of character-entry pressure points.

a-1
a
cmt

3. (Currently Amended) The method of claim 1 wherein the device has displayed a number of references and ~~the step of~~ illuminating the at least one character-entry pressure point comprises ~~a step of~~ illuminating the number of character-entry pressure points.

4. (Currently Amended) The method of claim 1 wherein ~~the step of~~ detecting an entry by the character-entry pressure point comprises ~~the step of~~ detecting a key-press.

5. (Currently Amended) The method of claim 1 wherein ~~the step of~~ detecting an entry by the character-entry pressure point comprises ~~the step of~~ detecting a key-release.

6. (Currently Amended) The method of claim 1 wherein ~~the step of~~ detecting an entry by the character entry pressure point comprises ~~the step of~~ detecting a long-duration key press.

3

7. (Currently Amended) The method of claim 1 wherein ~~the step of~~ triggering a function comprises ~~a step of~~ displaying a card.

8. (Currently Amended) The method of claim 7 wherein ~~the step of~~ triggering a function further comprises ~~a steps of~~ reading a deck.

9. (Currently Amended) The method of claim 1 wherein the step of triggering a function further comprises ~~a step of~~ moving a cursor.

10. (Currently Amended) A method for selecting a navigation function in a markup language file comprising ~~the steps of~~:

reading the markup language file;

 detecting a reference to a character encoding having a corresponding navigation function;

 illuminating a character-entry pressure point having a character encoding;

 detecting a pressure actuation of the character-entry pressure point; and

 triggering the navigation function.

11. (Currently Amended) The method for selecting a navigation function of claim 10 wherein ~~the step of~~ illuminating a character-entry pressure point comprises illuminating a light emitting diode (LED) near the character-entry pressure point.

12. (Currently Amended) The method for selecting a navigation function of claim 10 wherein ~~the step of~~ detecting comprises sensing a circuit closure.

13. (Currently Amended) The method for selecting a navigation function of claim 10 wherein ~~the step of~~ detecting comprises sensing a long duration circuit closure.

14. (Currently Amended) The method for selecting a navigation function of claim 10 wherein ~~the step of~~ detecting comprises sensing a circuit opening.

15. (Currently Amended) The method for selecting of claim 11 wherein ~~the step of~~ displaying a change further comprises displaying a portion of a markup language card.

16. (Currently Amended) The method for selecting of claim 15 wherein ~~the step of~~ triggering comprises ~~a step of~~ reading a second markup language file.

17. (Currently Amended) A device having a plurality of character-entry pressure points for selecting a function in a markup language file comprising:

a) ~~a~~ means for reading the markup language file;

b) ~~a~~ means for detecting a reference to a character encoding having a corresponding function;

c) ~~a~~ means for illuminating at least one character-entry pressure point having a character encoding;

d) ~~a~~ means for detecting ~~a~~ <u>an</u> entry by the character-entry pressure point; and

e) ~~a~~ means for triggering the function.

18. (Currently Amended) The device of claim 17 wherein the means for illuminating the at least one character-entry pressure point comprises ~~a~~ means for illuminating less than the plurality of character-entry pressure points.

19. (Currently Amended) The ~~method~~ <u>device</u> of claim 17 wherein the device has displayed a number of references and the means for illuminating the at least one character-entry pressure point comprises ~~a~~ means for illuminating the number of character-entry pressure points.

20. (Currently Amended) The ~~method~~ <u>device</u> of claim 17 wherein the means for detecting an entry by the character-entry pressure point comprises ~~a~~ means for detecting a key-press.

21. (Currently Amended) The ~~method~~ <u>device</u> of claim 17 wherein the means for detecting an entry by the character-entry pressure point comprises ~~a~~ means for detecting a key-release.

5

22. (Currently Amended) The ~~method~~ device of claim 17 wherein the means for detecting an entry by the character entry pressure point comprises ~~a~~ means for detecting a long-duration key-press.

23. (Currently Amended) The ~~method~~ device of claim 17 wherein the means for triggering a function comprises ~~a~~ means for displaying a card.

24. (Currently Amended) The ~~method~~ device of claim 23 wherein the means for triggering a function further comprises ~~a~~ means for reading a deck.

25. (Currently Amended) The ~~method~~ device of claim 17 wherein the ~~step of~~ means for triggering a function further comprises ~~a~~ means for moving a cursor.

26. (New) A wireless device comprising a CPU programmed to parse a file to identify at least one occurrence of a string representing a hyperlink and to associate individual ones of identified string occurrences with individual ones of colors associated with a manual user data entry device of said wireless device.

27. (New) A wireless device as in claim 26, where said CPU is further programmed to illuminate said manual user data entry device with a sufficient number of colors to represent the identified string occurrences.

28. (New) A wireless device as in claim 26, where said wireless device comprises a mobile phone.

29. (New) A wireless device as in claim 28, where said file is received through a wireless link using a wireless transceiver having an output coupled to said CPU.

6